

**NATIONAL ADHESIVE DISTRIBUTORS cc**

CK 2000/063562/23 VAT No.: 4370194633

Head Office:  
Phone: (031) 464 0273  
93 Goodwood Road  
Mahogany Ridge  
Durban, 3608Fax: (031) 464 0107  
PO Box 28089  
Malvern  
4055JHB Branch:  
Phone: (011) 021 4177  
Unit 6, Hambleton Park  
98 Richards Drive, Halfway House  
Midrand, JHB, 1686Fax: 086 544 8866/  
086 544 8877  
PO Box 8599  
Halfway House  
Midrand, 1685CPT Branch:  
Phone: (021) 801 4258  
Unit B19, Icon Park  
Fourie Street, Brackenfell  
Cape, 7560Fax: 086 547 5373/  
086 527 1045  
PO Box 761  
Brackenfell  
7561

# MATERIAL SAFETY DATA SHEET

**SECTION 1. PRODUCT IDENTIFICATION**

- **1.1 Product identifier**
- Trade name: **Windscreen Activator GDWA 250ML**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- Application of the substance / the mixture: Chemical for car glass installation
- **1.3 Details of the supplier of the safety data sheet**
- Manufacturer / Supplier: NATIONAL ADHESIVE DISTRIBUTORS cc.
- Full address:  
93 Goodwood Road, Mahogany Ridge, South Africa, Durban, 3608.
- Phone number: +27 82 903 2746
- Email: [sales@gluedevil.co.za](mailto:sales@gluedevil.co.za)
- Only Representative / other EU contact point: +27 464 0273
- Further information obtainable from: NATIONAL ADHESIVE DISTRIBUTORS cc.
- **1.4 Emergency telephone number:**  
Tel: +27 82 903 2746
- **1.5 Reference Number:** 50-WSCREEN6893

**SECTION 2. COMPOSITION / INFORMATION ON INGREDIENTS**

- **2.2 Mixtures**
- Description:  
Mixture of the substances listed below with non-hazardous additions.  
For the wording of the listed hazard statements refer to section 16.

· Composition:		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5	ethanol	90.0- 100.0%
	Flam. Liq. 2, H225	
CAS: 68845-16-9 EINECS: 272-453-4	N,N'-bis[3-(trimethoxysilyl)propyl]ethylenediamine	≤2.5%
	Eye Dam. 1, H318	
CAS: 4420-74-0 EINECS: 224-588-5	3-trimethoxysilylpropane-1-thiol	≤2.5%



## NATIONAL ADHESIVE DISTRIBUTORS cc

CK 2000/063562/23 VAT No.: 4370194633

Head Office:  
Phone: (031) 464 0273  
93 Goodwood Road  
Mahogany Ridge  
Durban, 3608

Fax: (031) 464 0107  
PO Box 28089  
Malvern  
4055

JHB Branch:  
Phone: (011) 021 4177  
Unit 6, Hambleton Park  
98 Richards Drive, Halfway House  
Midrand, JHB, 1686

Fax: 086 544 8866/  
086 544 8877  
PO Box 8599  
Halfway House  
Midrand, 1685

CPT Branch:  
Phone: (021) 801 4258  
Unit B19, Icon Park  
Fourie Street, Brackenfell  
Cape, 7560

Fax: 086 547 5373/  
086 527 1045  
PO Box 761  
Brackenfell  
7561

### SECTION 3. HAZARDS IDENTIFICATION

#### 3.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

#### Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of Regulation (EC) No.1272/2008.

#### Classification system:

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No. 1272/2008

The product is classified and labelled according to the CLP regulation.

##### Hazard pictograms



GHS02 GHS07

##### Signal word Danger



## NATIONAL ADHESIVE DISTRIBUTORS cc

CK 2000/063562/23 VAT No.: 4370194633

Head Office:  
Phone: (031) 464 0273  
93 Goodwood Road  
Mahogany Ridge  
Durban, 3608

Fax: (031) 464 0107  
PO Box 28089  
Malvern  
4055

JHB Branch:  
Phone: (011) 021 4177  
Unit 6, Hambleton Park  
98 Richards Drive, Halfway House  
Midrand, JHB, 1686

Fax: 086 544 8866/  
086 544 8877  
PO Box 8599  
Halfway House  
Midrand, 1685

CPT Branch:  
Phone: (021) 801 4258  
Unit B19, Icon Park  
Fourie Street, Brackenfell  
Cape, 7560

Fax: 086 547 5373/  
086 527 1045  
PO Box 761  
Brackenfell  
7561

### · Hazard-determining components of labelling:

#### · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · 2.3 Other hazards:

#### · Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

## SECTION 4. FIRST AID MEASURES

### · 4.1 Description of first aid measures

· **General description:** Immediately remove any clothing soiled by the product.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Immediately rinse with water.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

### · 4.2 Most important symptoms and effects, both acute and delayed:

No further relevant information available.

### · 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## SECTION 5. FIRE-FIGHTING MEASURES

### · 5.1 Extinguishing media

· **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.



## NATIONAL ADHESIVE DISTRIBUTORS cc

CK 2000/063562/23 VAT No.: 4370194633

Head Office:  
Phone: (031) 464 0273  
93 Goodwood Road  
Mahogany Ridge  
Durban, 3608

Fax: (031) 464 0107  
PO Box 28089  
Malvern  
4055

JHB Branch:  
Phone: (011) 021 4177  
Unit 6, Hambleton Park  
98 Richards Drive, Halfway House  
Midrand, JHB, 1686

Fax: 086 544 8866/  
086 544 8877  
PO Box 8599  
Halfway House  
Midrand, 1685

CPT Branch:  
Phone: (021) 801 4258  
Unit B19, Icon Park  
Fourie Street, Brackenfell  
Cape, 7560

Fax: 086 547 5373/  
086 527 1045  
PO Box 761  
Brackenfell  
7561

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures:  
Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- 6.4 Reference to other sections:  
See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### SECTION 7. HANDLING AND STORAGE

- 7.1 Precautions for safe handling: For the general occupational hygienic measures refer to Section 8.
- Information about fire - and explosion protection:  
Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:  
Keep container tightly sealed.

Store in cool, dry conditions in well-sealed receptacles.

- 7.3 Specific end use(s): No further relevant information available.

### SECTION 8. PERSONAL PROTECTION / EXPOSURE CONTROLS

- 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

64-17-5 ethanol (90.0-100.0%)



**NATIONAL ADHESIVE DISTRIBUTORS cc**

CK 2000/063562/23 VAT No.: 4370194633

Head Office:  
Phone: (031) 464 0273  
93 Goodwood Road  
Mahogany Ridge  
Durban, 3608

Fax: (031) 464 0107  
PO Box 28089  
Malvern  
4055

JHB Branch:  
Phone: (011) 021 4177  
Unit 6, Hambleton Park  
98 Richards Drive, Halfway House  
Midrand, JHB, 1686

Fax: 086 544 8866/  
086 544 8877  
PO Box 8599  
Halfway House  
Midrand, 1685

CPT Branch:  
Phone: (021) 801 4258  
Unit B19, Icon Park  
Fourie Street, Brackenfell  
Cape, 7560

Fax: 086 547 5373/  
086 527 1045  
PO Box 761  
Brackenfell  
7561

WEL (Great Britain)	Long-term value: 1920 mg/m <sup>3</sup> , 1000 ppm
AGW (Germany)	Long-term value: 380 mg/m <sup>3</sup> , 200 ppm 4(II);DFG, EU, Y
VME (France)	Short-term value: 9500 mg/m <sup>3</sup> , 5000 ppm Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm

· Regulatory information

WEL (Great Britain): EH40/2018

AGW (Germany): TRGS 900

VME (France): ED 984, 10.2016

- **DNELs:** Not available
- **PNECs:** Not available

· **Additional information:** The lists valid during the making were used as basis.

· 8.2 Exposure controls

Based on the composition shown in Section 3, the following measures are suggested for occupational safety measure.

· Appropriate engineering controls:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- See Section 7 for information about design of technical facilities.

· **Personal protective equipment**

- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.



**NATIONAL ADHESIVE DISTRIBUTORS cc**

CK 2000/063562/23 VAT No.: 4370194633

Head Office: Phone: (031) 464 0273 93 Goodwood Road Mahogany Ridge Durban, 3608	Fax: (031) 464 0107 PO Box 28089 Malvern 4055	JHB Branch: Phone: (011) 021 4177 Unit 6, Hambleton Park 98 Richards Drive, Halfway House Midrand, JHB, 1686	Fax: 086 544 8866/ 086 544 8877 PO Box 8599 Halfway House Midrand, 1685	CPT Branch: Phone: (021) 801 4258 Unit B19, Icon Park Fourie Street, Brackenfell Cape, 7560	Fax: 086 547 5373/ 086 527 1045 PO Box 761 Brackenfell 7561
---	--	--	---	---	---

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye protection:**



Tightly sealed goggles

**Environmental exposure controls:**

Control measures must be made in accordance with Community environmental protection legislation.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

**Appearance**

**Form:** Liquid  
**Colour:** Colorless and transparent  
**Odour:** A slight smell

**Odour threshold:** Not available

**pH-value:** Not available

**Change in condition**

**Melting point/Freezing point:** Not available

**Initial boiling point and boiling range:** >35 °C

**Flash point:** <12°C (Closed cup)

**Flammability (solid, gas):** Not available



**NATIONAL ADHESIVE DISTRIBUTORS cc**

CK 2000/063562/23 VAT No.: 4370194633

Head Office:  
Phone: (031) 464 0273  
93 Goodwood Road  
Mahogany Ridge  
Durban, 3608

Fax: (031) 464 0107  
PO Box 28089  
Malvern  
4055

JHB Branch:  
Phone: (011) 021 4177  
Unit 6, Hambleton Park  
98 Richards Drive, Halfway House  
Midrand, JHB, 1686

Fax: 086 544 8866/  
086 544 8877  
PO Box 8599  
Halfway House  
Midrand, 1685

CPT Branch:  
Phone: (021) 801 4258  
Unit B19, Icon Park  
Fourie Street, Brackenfell  
Cape, 7560

Fax: 086 547 5373/  
086 527 1045  
PO Box 761  
Brackenfell  
7561

<b>Auto-ignition temperature:</b>	Not available
<b>Decomposition temperature:</b>	Not available
<b>Self-igniting:</b>	Product is not self-igniting.
<b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
<b>Explosion limits</b>	
<b>Lower:</b>	Not available
<b>Upper:</b>	Not available
<b>Oxidising properties:</b>	Not available
<b>Vapour pressure:</b>	Not available
· <b>Density:</b>	Not available
· <b>Relative density:</b>	Not available
· <b>Vapour density:</b>	Not available
· <b>Evaporation rate</b>	Not available
<b>Solubility in / Miscibility with water:</b>	Soluble in water.
<b>Partition coefficient: n-octanol/water:</b>	Not available
· <b>Viscosity</b>	
<b>Dynamic:</b>	Not available
<b>Kinematic:</b>	Not available
<b>9.2 Other information</b>	No further relevant information available.

<b>SECTION 10. STABILITY AND REACTIVITY</b>
---

- **10.1 Reactivity:** Data not available
- **10.2 Chemical stability:** Data not available
- **10.3 Possibility of hazardous reactions:** No dangerous reactions known.





**NATIONAL ADHESIVE DISTRIBUTORS cc**

CK 2000/063562/23 VAT No.: 4370194633

Head Office:  
Phone: (031) 464 0273  
93 Goodwood Road  
Mahogany Ridge  
Durban, 3608

Fax: (031) 464 0107  
PO Box 28089  
Malvern  
4055

JHB Branch:  
Phone: (011) 021 4177  
Unit 6, Hambleton Park  
98 Richards Drive, Halfway House  
Midrand, JHB, 1686

Fax: 086 544 8866/  
086 544 8877  
PO Box 8599  
Halfway House  
Midrand, 1685

CPT Branch:  
Phone: (021) 801 4258  
Unit B19, Icon Park  
Fourie Street, Brackenfell  
Cape, 7560

Fax: 086 547 5373/  
086 527 1045  
PO Box 761  
Brackenfell  
7561

- **10.4 Conditions to avoid:** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11. TOXICOLOGICAL INFORMATION**

· **11.1 Information on toxicological effects**

· **Acute toxicity**

Toxic if inhaled.

· <b>LD/LC50 values relevant for classification:</b>		
<b>64-17-5 ethanol</b>		
Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h	20,000 mg/l (rat)
<b>4420-74-0 3-trimethoxysilylpropane-1-thiol</b>		
Oral	LD50	2,940 mg/kg (rat)
Dermal	LD50	5,880 mg/kg (rabbit)

- **Skin corrosion/irritation:** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation:**  
Causes serious eye irritation.
- **Respiratory or skin sensitization:** Based on available data, the classification criteria are not met.
  - **Germ cell mutagenicity:** Based on available data, the classification criteria are not met.
  - **Carcinogenicity:** Based on available data, the classification criteria are not met.
  - **Reproductive toxicity:** Based on available data, the classification criteria are not met.
  - **STOT-single exposure:** Based on available data, the classification criteria are not met.
  - **STOT-repeated exposure:** Based on available data, the classification criteria are not met.
  - **Aspiration hazard:** Based on available data, the classification criteria are not met.

**SECTION 12. ECOLOGICAL INFORMATION**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**





**NATIONAL ADHESIVE DISTRIBUTORS cc**

CK 2000/063562/23 VAT No.: 4370194633

Head Office: Phone: (031) 464 0273 93 Goodwood Road Mahogany Ridge Durban, 3608	Fax: (031) 464 0107 PO Box 28089 Malvern 4055	JHB Branch: Phone: (011) 021 4177 Unit 6, Hambleton Park 98 Richards Drive, Halfway House Midrand, JHB, 1686	Fax: 086 544 8866/ 086 544 8877 PO Box 8599 Halfway House Midrand, 1685	CPT Branch: Phone: (021) 801 4258 Unit B19, Icon Park Fourie Street, Brackenfell Cape, 7560	Fax: 086 547 5373/ 086 527 1045 PO Box 761 Brackenfell 7561
---	--	--	---	---	---

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.
- **12.7 Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system.  
  
Danger to drinking water if even small quantities leak into the ground.

**SECTION 13. DISPOSAL CONSIDERATIONS**

- **13.1 Waste treatment methods**
- **Recommendation:**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging**

**Recommendation:** Disposal must be made according to official regulations.

**SECTION 14. TRANSPORT INFORMATION**

- **14.1 UN-Number**  
ADR/RID/ADN, IMDG, IATA                      UN1993
- **14.2 UN proper shipping name**
- **ADR/RID/ADN**                                      FLAMMABLE LIQUID, N. O. S. ( ETHYL ALCOHOL)
- **IMDG**    FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL ALCOHOL)), MARINE POLLUTANT
- **IATA**     FLAMMABLE LIQUID, N.O.S. (ETHANOL)

· **14.3 Transport hazard class(es)**

**ADR/RID/ADN, IATA**



**Class**    3 Flammable liquids

**Label**    3



**NATIONAL ADHESIVE DISTRIBUTORS cc**

CK 2000/063562/23 VAT No.: 4370194633

Head Office:  
Phone: (031) 464 0273  
93 Goodwood Road  
Mahogany Ridge  
Durban, 3608

Fax: (031) 464 0107  
PO Box 28089  
Malvern  
4055

JHB Branch:  
Phone: (011) 021 4177  
Unit 6, Hambleton Park  
98 Richards Drive, Halfway House  
Midrand, JHB, 1686

Fax: 086 544 8866/  
086 544 8877  
PO Box 8599  
Halfway House  
Midrand, 1685

CPT Branch:  
Phone: (021) 801 4258  
Unit B19, Icon Park  
Fourie Street, Brackenfell  
Cape, 7560

Fax: 086 547 5373/  
086 527 1045  
PO Box 761  
Brackenfell  
7561

· **IMDG**



**Class** 3 Flammable liquids

**Label** 3

· **IATA**



**Class** 3 Flammable liquids

**Label** 3

· **14.4 Packing group**

ADR/RID/ADN, IMDG, IATA II

**14.5 Environmental hazards**

**Marine pollutant:** Symbol (fish and tree)

**14.6 Special precautions for user:**

Warning: Flammable liquids.

· **Danger code (Kemler):**

33

· **EMS Number:**

F-E,S-E

· **14.7 Transport in bulk according to Annex II of**

**Marpol and the IBC Code** Not applicable

**14.8 Transport/Additional information:**

· **ADR/RID/ADN**

· **Limited quantities (LQ):**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml



**NATIONAL ADHESIVE DISTRIBUTORS cc**

CK 2000/063562/23 VAT No.: 4370194633

Head Office: Phone: (031) 464 0273 93 Goodwood Road Mahogany Ridge Durban, 3608	Fax: (031) 464 0107 PO Box 28089 Malvern 4055	JHB Branch: Phone: (011) 021 4177 Unit 6, Hambleton Park 98 Richards Drive, Halfway House Midrand, JHB, 1686	Fax: 086 544 8866/ 086 544 8877 PO Box 8599 Halfway House Midrand, 1685	CPT Branch: Phone: (021) 801 4258 Unit B19, Icon Park Fourie Street, Brackenfell Cape, 7560	Fax: 086 547 5373/ 086 527 1045 PO Box 761 Brackenfell 7561
---	--	--	---	---	---

- Transport category: 2
- Tunnel restriction code: D/E
- IMDG
- Limited quantities (LQ) 1L
- Excepted quantities (EQ) Code: E2
- Maximum net quantity per inner packaging: 30 ml
- Maximum net quantity per outer packaging: 500 ml
- UN "Model Regulation": UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (ETHANOL (ETHYL ALCHOL)), 3, II

**SECTION 15. REGULATORY INFORMATION**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· <b>MAK(German Maximum Workplace Concentration)</b>		
64-17-5	ethanol	3A

- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000t
- National regulations:

Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water

· Other regulations, limitations and prohibitive regulations

· <b>SVHC Candidate List of REACH Regulation Annex XIV Authorization (15/1/2019)</b>
None of the ingredients is listed
· <b>REACH Regulation Annex XVII Restriction (17/12/2018)</b>
See Section 16 for information about restriction of use.
None of the ingredients is listed
· <b>REACH Regulation Annex XIV Authorization List (13/6/2017)</b>
None of the ingredients is listed

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



**NATIONAL ADHESIVE DISTRIBUTORS cc**

CK 2000/063562/23 VAT No.: 4370194633

Head Office:  
Phone: (031) 464 0273  
93 Goodwood Road  
Mahogany Ridge  
Durban, 3608

Fax: (031) 464 0107  
PO Box 28089  
Malvern  
4055

JHB Branch:  
Phone: (011) 021 4177  
Unit 6, Hambleton Park  
98 Richards Drive, Halfway House  
Midrand, JHB, 1686

Fax: 086 544 8866/  
086 544 8877  
PO Box 8599  
Halfway House  
Midrand, 1685

CPT Branch:  
Phone: (021) 801 4258  
Unit B19, Icon Park  
Fourie Street, Brackenfell  
Cape, 7560

Fax: 086 547 5373/  
086 527 1045  
PO Box 761  
Brackenfell  
7561

**SECTION 16. OTHER**

**Relevant hazard statements:**

H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage.

Classification according to Regulation (EC) No. 1272/2008	
Flammable liquid	Bridging principles
Serious eye damage/eye irritation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No. 1272/2008.

\*\*\*\*\* The contents and format of this SDS are in accordance with Regulation (EC) No 1907/2006, 1272/2008 and Regulation (EU) No 2015/830.

**Legal Disclaimer:**

The information contained in this safety data sheet was obtained from a variety of sources and is believed to be accurate and current at the stated issue date. National Adhesive Distributors CC and/ or its agents cannot accept liability for the use of information contained in these data sheet or for the use, application or processing of the product described in the data sheet. Users should note the possibility of hazards occurring due to improper uses if the product.

**REVISED JAN 2020**